

L3. Classical Demand Theory

Yuan Zi

EI037: Microeconomics, Fall 2021

Literature

- MWG (1995), Chapter 3
- Kreps (1990), Chapter 2, Varian (1992), Chapters 7 - 8

Big Picture

We now apply the preference-based approach to demand theory in order to see what additional properties can be derived.

In this approach, we ‘know’ the consumer’s preference over \forall commodity bundles in the commodity set $X = \mathbb{R}_+^L$.

We impose some assumptions on consumer’s preference \succeq .

1. \succeq on X is **rational**. (preference has to be “reasonable”)
2. \succeq on X is **monotone**. (desirability)
3. \succeq on X is **convex**. (trade-offs between consumption bundles)
4. \succeq is **continuous**. (ensure the existence of a utility function)

→ Assumptions 2,3,4 are new. We first get ourselves familiar with these concepts.

Preferences and Utility Functions

Definition 3.1 A preference relation \succeq on X is **rational** if it is **complete** and **transitive**.

Matrix Notation

- $y \succeq x$ means that $y_l \geq x_l$ for all $l \in \{1, \dots, L\}$.
- $y \succ x$ means that $y_l \geq x_l$ for all $l \in \{1, \dots, L\}$ and $y_k > x_k$ for at least one $k \in \{1, \dots, L\}$.
- $y \gg x$ means that $y_l > x_l$ for all $l \in \{1, \dots, L\}$
- $\|y - x\| = \sqrt{\sum_{l=1}^L (y_l - x_l)^2}$

Definition 3.2 A preference relation \succeq on X is

- **strongly monotone** if $x, y \in X$ and $y > x$ implies $y \succ x$.
- **monotone** if $x, y \in X$ and $y \gg x$ implies $y \succ x$.
- **locally non-satiated** if for every $x \in X$ and every $\epsilon > 0$, $\exists y \in X$ such that $\|y - x\| \leq \epsilon$ and $y \succ x$.

Interpretation and graphical illustration of monotonicity and non-satiation.

Note

- Strong monotonicity implies monotonicity.
- Monotonicity implies local non-satiation.
- Non-satiation implies that indifference curves cannot be “thick”.

Definition 3.3 The preference relation \succeq is **(strictly) convex** if for every $x \in X$ the upper contour set $\{y \in X \mid y \succeq x\}$ is (strictly) convex; i.e., if $y \succeq x$ and $z \succeq x$, then $\alpha y + (1 - \alpha)z \succeq (\succ)x$ for any $\alpha \in (0, 1)$.

Interpretation and graphical illustration of convexity.

Definition 3.4 The preference relation \succeq is **continuous** if for any sequence of pairs $\{x^n, y^n\}_{n=0}^{\infty}$ with $x^n \succeq y^n$ for all n , $x = \lim_{n \rightarrow \infty} x^n$ and $y = \lim_{n \rightarrow \infty} y^n$, we have $x \succeq y$.

Note

- Continuity implies that indifference curves cannot have jumps. Show this using the definition of continuity.
- Consider the lexicographic preference relation in the two goods case, i.e., $X = \mathbb{R}_+^2$ and $x \succeq y$ if and only if $x_1 > y_1$ or $x_1 = y_1$ and $x_2 \geq y_2$. Are these preferences continuous?

Proposition 3.1 Suppose that $X = \mathbb{R}_+^L$. If \succsim is **rational, monotone and continuous**. Then there is a utility function $u(x)$ that represents \succsim .

Proof sketch: We give a graphical sketch of the proof. The proof is constructive, i.e., it shows how a utility function that represents \succsim can be constructed if \succsim is rational, monotone and continuous.




Figure: Figure 3.1: Construction of a utility function

Utility Maximization and Demand Functions

In the following we will assume that the consumer's preferences satisfy the conditions of Proposition 3.1 and that his utility function is continuous and at least twice continuously differentiable.

Given the consumer's utility function his decision problem can now be expressed as a **utility maximization problem (UMP)**:

$$\begin{aligned} \max_{x \geq 0} u(x) \\ \text{s.t.} \quad p \cdot x \leq w \end{aligned}$$

Proposition 3.2 If $p \gg 0$ and $u(\cdot)$ is continuous, then the utility maximization problem has a solution.

Proof: WMG proposition 3.D.1. Page 51

Let $x(p, w)$ be the solution to UMP. This is called the Walrasian (sometimes also Marshallian) **demand correspondence**. If $x(p, w)$ is unique for all (p, w) , then it is called the **demand function**.

Proposition 3.3 The demand correspondence $x(p, w)$ satisfies the following properties:

- a) Homogeneity of degree 0 in (p, w)
- b) Walras' Law
- c) If \succeq is strictly convex, then $x(p, w)$ is unique for all (p, w) .

Proof:

How to solve the UMP:

1. The Lagrange function is

$$\mathcal{L} = u(x) - \lambda[p \cdot x - w]$$

2. The Lagrange Theorem ensures that

$$\frac{\partial \mathcal{L}}{\partial x_l} = \frac{\partial u(x^*)}{\partial x_l} - \lambda p_l \leq 0$$

with equality if $x_l^* > 0$.

3. By Walras' Law, $p \cdot x = w$ must hold,

⇒ L+1 equations and L+1 unknowns, we can solve the system!

- Interpretation of λ ?
- Interpretation of $[\nabla u(x^*) - \lambda p] = 0$?

Notation: $\nabla u(x^*) = \left(\frac{\partial u}{\partial x_1}, \dots, \frac{\partial u}{\partial x_L} \right)$

The Indirect Utility Function

Let $v(p, w) = u(x^*)$ for any $x^* \in x(p, w)$. Thus, $v(p, w)$ is the highest level of utility that the consumer can achieve given (p, w) . This is called the **indirect utility function**.

Proposition 3.4 The indirect utility function $v(p, w) = u(x^*)$ satisfies the following properties:

- (a) Homogeneity of degree 0 in (p, w) .
- (b) Strictly increasing in w
- (c) Nonincreasing in p_l for any l

Proof:

Proposition 3.5 (Roy's Identity) Suppose that $v(p, w)$ is differentiable at (p, w) . Then for every $l = 1, \dots, L$:

$$x_l(p, w) = - \frac{\frac{\partial v(p, w)}{\partial p_l}}{\frac{\partial v(p, w)}{\partial w}}$$

Proof:

[Recall] Envelope theorem

For a constraint maximization problem

$$\begin{aligned} & \max_x f(x, \alpha) \text{ subject to} \\ & g_j(x, \alpha) \geq 0, j = 1, 2, \dots, m \text{ and } x \geq 0. \end{aligned}$$

The Lagrangian expression of this problem is given by

$$\mathcal{L}(x, \lambda, \alpha) = f(x, \alpha) + \lambda \cdot g(x, \alpha)$$

where $\lambda \in \mathbb{R}^m$ are the Lagrange multipliers. Now let $x^*(\alpha)$ and $\lambda^*(\alpha)$ together be the solution that maximizes the function f subject to the m constraints. Define the value function

$$V(\alpha) \equiv f(x^*(\alpha), \alpha).$$

Envelope Theorem: Assume that V and \mathcal{L} are continuously differentiable. Then

$$\begin{aligned} \frac{\partial V(\alpha)}{\partial \alpha_k} &= \frac{\partial \mathcal{L}^*(\alpha)}{\partial \alpha_k} = \frac{\partial \mathcal{L}(x^*(\alpha), \lambda^*(\alpha), \alpha)}{\partial \alpha_k}, k = 1, 2, \dots, l \\ &= \underbrace{\mathcal{L}_x^* \frac{\partial x^*}{\partial \alpha_k} + \mathcal{L}_\lambda^* \frac{\partial \lambda^*}{\partial \alpha_k}}_{=0 \text{ at the FOC point}} + \mathcal{L}_{\alpha_k}^* = \mathcal{L}_{\alpha_k}^* \end{aligned}$$

Remarks

1. To interpret the result, it is useful to write

$$\frac{\partial v(p, w)}{\partial p_I} = -x_I(p, w) \frac{\partial v(p, w)}{\partial w}$$

Suppose that price p_I is reduced marginally by Δp_I . This gives additional "income" $\Delta p_I \cdot x_I(p, w)$ to the consumer. The marginal utility of a Dollar is the same for all goods and equal to $\frac{\partial v(p, w)}{\partial w}$. Hence, the price reduction increases the consumer's utility by $\Delta p_I x_I(p, w) \frac{\partial v(p, w)}{\partial w}$.

2. Roy's Identity is very useful. If we know the indirect utility function, then it is much easier to derive the demand function from indirect utility than from the direct utility function.

The Dual Problem: Expenditure Minimization

Instead of maximizing the utility level for a given budget constraint, the consumer could also minimize his expenditures subject to the constraint that he achieves at least a given level of utility u :

$$\begin{aligned} \min_x & p \cdot x \\ \text{s.t.} & u(x) \geq u \end{aligned}$$

The **expenditure minimization problem (EMP)** is the dual problem to UMP: It reverses the roles of the objective function and the constraint.

However, the EMP also characterizes the efficient use of resources by the consumer. In fact, EMP and UMP are basically equivalent:

Proposition 3.6 Suppose that $p \gg 0$.

- (a) If x^* is optimal in UMP when wealth is $w > 0$, then x^* is optimal in EMP when the required utility level is $u(x^*)$.
- (b) If x^* is optimal in EMP when the required utility level is u , then x^* is optimal in UMP when wealth is $w = p \cdot x^*$.

Proof: We only prove (a).

The solution to EMP is denoted by $h(p, u)$ and is called the **Hicksian (or compensated) demand correspondence**, or function, if $h(p, u)$ is single-valued. Illustrate $h(p, u)$ graphically.

Proposition 3.7 For any $p \gg 0$ the Hicksian demand correspondence $h(p, u)$ has the following properties:

- (a) Homogeneity of degree 0 in p .
- (b) No excess utility: For any $x \in h(p, u)$, $u(x) = u$
- (c) If \succeq is strictly convex then there is a unique solution to *EMP* for all (p, u)

Proof: Analogous to the proof of Proposition 3.3.

An important property of the Hicksian demand function is that it satisfies the **compensated law of demand**.

Proposition 3.8 Suppose that $h(p, u)$ is single valued for all $p \gg 0$. Then the Hicksian demand function satisfies the compensated law of demand, i.e., for all p' and p''

$$(p'' - p') \cdot [h(p'', u) - h(p', u)] \leq 0.$$

Proof:

Let $e(p, u) = p \cdot x^*$, where $x^* \in h(p, u)$, be the **expenditure function** of the consumer.

Proposition 3.9 The expenditure function $e(p, u)$ is

- (a) homogenous of degree one in p ,
- (b) strictly increasing in u ,
- (c) nondecreasing in p_l for any l ,
- (d) concave in p .

Intuition for these results? Explain (d) graphically.

(a) to (c) are straightforward and left as an exercise. We only prove (d),

Proof: Consider two price vectors p' and p'' . Let $\alpha \in [0, 1]$ and $\bar{p} = \alpha p' + (1 - \alpha)p''$. We have to show:

$$e(\bar{p}, u) \geq \alpha e(p', u) + (1 - \alpha)e(p'', u)$$

Let x', x'' and \bar{x} be the solutions to EMP at prices p', p'' , and \bar{p} respectively. It must be the case that:

$$\sum_{l=1}^L p'_l x'_l = e(p', u)$$

$$\sum_{l=1}^L p''_l x''_l = e(p'', u)$$

$$\sum_{l=1}^L \bar{p}_l \bar{x}_l = e(\bar{p}, u)$$

Since x' and x'' minimize expenditures at prices p' and p'' , we have:

$$\sum_{l=1}^L p'_l \bar{x}_l \geq \sum_{l=1}^L p'_l x'_l$$

$$\sum_{l=1}^L p''_l \bar{x}_l \geq \sum_{l=1}^L p''_l x''_l$$

Multiplying the first inequality with α and the second one with $(1 - \alpha)$ and adding up both inequalities yields:

$$\sum_{l=1}^L [\alpha p'_l \bar{x}_l + (1 - \alpha) p''_l \bar{x}_l] \geq \sum_{l=1}^L \alpha p'_l x'_l + \sum_{l=1}^L (1 - \alpha) p''_l x''_l$$

Hence:

$$\begin{aligned} e(\bar{p}, u) &= \sum_{l=1}^L \bar{p}_l \bar{x}_l \\ &\geq \sum_{l=1}^L \alpha p'_l x'_l + \sum_{l=1}^L (1 - \alpha) p''_l x''_l \\ &= \alpha \cdot e(p', u) + (1 - \alpha) e(p'', u) \end{aligned}$$

Q.E.D.

The expenditure function can easily be derived from the Hicksian demand function by $e(p, u) = p \cdot h(p, u)$. However, the following result shows that we can also derive the Hicksian demand function from the expenditure function:

Proposition 3.10 (Shephard's Lemma) Suppose that $h(p, u) \gg 0$ is single valued and differentiable. Then

$$h_l(p, u) = \frac{\partial e(p, u)}{\partial p_l}$$

for all $l = 1, \dots, L$

Proof:

Remarks:

1. Interpretation: In finite approximation Shephard's Lemma says:

$$\Delta e(p, u) = h_l(p, u) \cdot \Delta p_l$$

If the price for good l increases by Δp_l , then the consumer has to pay $\Delta p_l h_l(p, u)$ in addition, in order to buy the same consumption bundle that he consumed before the price change. If Δp_l is very small, then this is also the amount necessary to get back to the old utility level u . The reason is that for small price changes and starting from an optimally chosen consumption bundle the substitution effects can be ignored.

2. Shephard's Lemma is very useful. If we know the expenditure function, it is much simpler to derive the Hicksian demand function via $e(p, u)$ than to derive it from the direct utility function.

Shephard's Lemma has several important implications that are summarized in the next proposition.

Proposition 3.11 Suppose that $h(p, u)$ is single valued and continuously differentiable at (p, u) , and denote its $L \times L$ derivative matrix by $D_p h(p, u)$. Then

- (a) $D_p h(p, u) = D_p^2 e(p, u)$
- (b) $D_p h(p, u)$ is a negative semidefinite matrix,
- (c) $D_p h(p, u)$ is a symmetric matrix,
- (d) $D_p h(p, u)p = 0$

Proof:

Remarks:

1. Negative semidefiniteness of $D_p h(p, u)$ is again the compensated law of demand. See Lecture 2! In particular, it implies that $\frac{\partial h_l(p, u)}{\partial p_l} \leq 0$, i.e., the own substitution effect is non-positive.
2. Symmetry of $D_p h(p, u)$ requires that

$$\frac{\partial h_l(p, u)}{\partial p_k} = \frac{\partial h_k(p, u)}{\partial p_l}$$

This is not obvious and it is difficult to give an intuitive explanation for this unexpected result. We know already that symmetry of this matrix is not implied by the weak axiom. It is an additional property of the preference based approach.

3. If $\frac{\partial h_l(p, u)}{\partial p_k} \geq 0$ then goods l and k are substitutes. If $\frac{\partial h_l(p, u)}{\partial p_k} < 0$, then they are called complements. Property (d) implies that for each good there exists at least one substitute. This follows immediately from $\frac{\partial h_l(p, u)}{\partial p_l} \leq 0$.

The Hicksian demand function is a very useful concept. It is particularly important when it comes to the evaluation of welfare changes. But, the Hicksian demand function is not directly observable. However, the following proposition shows that the Hicksian demand function $h(p, u)$ can be derived from the observable demand function $x(p, w)$.

Proposition 3.12 (Slutsky Equation) Suppose that $h(p, u)$ and $x(p, w)$ are single valued and differentiable. Then for all (p, w) and $u = v(p, w)$ we have

$$\frac{\partial h_l(p, u)}{\partial p_k} = \frac{\partial x_l(p, w)}{\partial p_k} + \frac{\partial x_l(p, w)}{\partial w} \cdot x_k(p, w).$$

Proof:

Remarks

1. The Slutsky Equation shows how the properties of the unobservable Hicksian demand function translate to the observable demand function.
2. In particular, the Slutsky Equation implies

$$\frac{\partial h_l(p, u)}{\partial p_l} = \frac{\partial x_l(p, w)}{\partial p_l} + \frac{\partial x_l(p, w)}{\partial w} \cdot x_l(p, w)$$

3. If good l is a normal good ($\partial x_l / \partial w > 0$), then an increase in p_l reduces the Hicksian demand by less than the (Walrasian) demand. In the usual demand diagram (with p on the vertical axis), the Hicksian demand function is steeper than the (Walrasian) demand function.
4. If good l is an inferior good ($\partial x_l / \partial w < 0$), then an increase in p_l reduces the Hicksian demand by more than the (Walrasian) demand. In the usual demand diagram (with p on the vertical axis), the Hicksian demand function is less steep than the (Walrasian) demand function. A good can be a Giffen good only if it is inferior.
5. The Slutsky Equation implies that the matrix of price derivatives of the Hicksian demand function, $D_p h(p, u)$ is equal to the Slutsky matrix $S(p, w)$ that we know already from Lecture 2. Note, however, that we derived the Slutsky matrix in Lecture 2 by using a different compensation rule for the consumer:

- In Lecture 2 (choice based approach), we compensated the consumer for the price change by adjusting his wealth level so that he can still afford his old consumption bundle (Slutsky compensation).
- Here (preference based approach) we compensate the consumer by adjusting his wealth so that he can still afford his old utility level (Hicks compensation).

Nevertheless, Proposition 3.12 shows that for small price changes the effect of both compensation rules is identical!

Putting it All Together

Because UMP and EMP are basically equivalent, we have:

1. $x_I(p, w) = h_I(p, v(p, w))$

The Walrasian demand at wealth w is equal to the Hicksian demand if the consumer wants to achieve at least the utility $v(p, w)$.

2. $h_I(p, u) = x_I(p, e(p, u))$

The Hicksian demand at utility level u is equal to the Walrasian demand if the consumer's wealth is equal to $e(p, u)$

3. $v(p, e(p, u)) = u$

The indirect utility function is strictly increasing in w . Thus we can invert $v(p, \cdot)$ which is simply the expenditure function.

4. $e(p, v(p, w)) = w$

The expenditure function is strictly increasing in u . Thus we can invert $e(p, \cdot)$ which is simply the indirect utility function.

Let us now summarize the relationship between UMP and EMP, between Hicksian and Walrasian demand and between indirect utility and expenditure function in the following diagram:




Figure: Figure 3.2: Putting it all together

We have shown that the preference based approach to consumption theory has the following implications for the (Walrasian) demand function $x(p, w)$:

1. **Homogeneity of degree zero**
2. **Walras' Law**
3. **Compensated Law of Demand (Slutsky matrix is negative semi-definite)**
4. **Symmetry of the Slutsky matrix**

Remarks

1. A natural question is, whether there are any other properties of the demand function that are implied by the preference based approach.

The answer is no. It can be shown that for any demand function that satisfies (1) to (4) there exists utility function (representing a rational preference relation) such that the demand function is generated by this utility function. This is known as the Integrability Problem (See MWH, Chapter 3.H). It also shows, how the preferences of the consumer can (almost, but not quite) be recovered from his observed demand behavior.

2. Properties (1) to (3) are also implied by the Weak Axiom of the choice based approach. Hence, symmetry of the Slutsky matrix is the only additional property that the preference based approach gives us.

3. One could ask whether it is possible to impose an additional assumption in the choice based approach that also yields a symmetric Slutsky matrix. This assumption is the **Strong Axiom of Revealed Preference**.

Definition 3.5 The demand function $x(p, w)$ satisfies the **Strong Axiom of Revealed Preference** if for any list

$$(p^1, w^1), \dots, (p^N, w^N)$$

with $x(p^{n+1}, w^{n+1}) \neq x(p^n, w^n)$ for all $n \leq N - 1$, we have $p^N \cdot x(p^1, w^1) > w^N$ whenever $p^n \cdot x(p^{n+1}, w^{n+1}) \leq w^n$ for all $n \leq N - 1$.

This definition says, that if $x(p^1, w^1)$ is directly or indirectly (through the chain of $x(p^n, w^n)$ revealed preferred to $x(p^N, w^N)$, then $x(p^N, w^N)$ cannot be revealed preferred to $x(p^1, w^1)$, because $x(p^1, w^1)$ is not affordable at (p^N, w^N) .

The Strong Axiom is essentially equivalent to the preference based approach presented here.

4. While most positive results of consumption theory can also be derived from the choice based approach, the normative evaluation of welfare changes requires the preference based approach.